

浮動接頭



訂購碼

HP — M12 — 125

規格編號

螺紋規格

螺紋牙距

M3 : M3

050 : 0.5 mm

M4 : M4

070 : 0.7 mm

M5 : M5

080 : 0.8 mm

M6 : M6

100 : 1.0 mm

M8 : M8

M10 : M10

M12 : M12

125 : 1.25 mm

M14 : M14

M16 : M16

M18 : M18

M20 : M20

150 : 1.5 mm

浮動接頭

浮動接頭與氣缸對照表

氣缸系列	CSI						
附件名稱	32	40	50	63	80	100	125
HK-M10-125	√						
HK-M12-125		√					
HK-M16-150			√	√			
HK-M20-150					√	√	

氣缸系列	CS					
附件名稱	32	40	50	63	80	100
HK-M10-125	√					
HK-M12-125		√				
HK-M14-150						
HK-M16-150			√	√		
HK-M18-150						
HK-M20-150					√	√

氣缸系列	CQ									
附件名稱	12	16	20	25	32	40	50	63	80	100
HK-M8-125			√							
HK-M10-125				√						
HK-M12-125										
HK-M14-150					√	√				
HK-M16-150										
HK-M18-150							√	√		

浮動接頭

✿ 浮動接頭與氣缸對照表


氣缸系列	CPS							CPL				CPM			
附件名稱	16	20	25	32	40	50	63	20	25	32	40	20	25	32	40
HK-M6-100	√														
HK-M8-125		√						√				√			
HK-M10-125			√	√					√	√			√	√	
HK-M12-125					√						√				
HK-M14-150						√	√								√

氣缸系列	CPP					CPI							
附件名稱	4	6	10	12	16	8	10	12	16	20	25	32	40
HK-M3-050		√											
HK-M4-070			√			√	√						
HK-M5-080				√	√								
HK-M6-100								√	√				
HK-M8-125										√			
HK-M10-125											√	√	
HK-M12-125													√

浮動接頭


外型尺寸圖

M6 及以下規格



型號 \ 符號	MA	MB	MC	MD	ME	MF	MG	MH	MI\MJ	ML	MM	角度補償	徑向補償
HK-M3-050	23.5	7.5	3	15	11.8	5.5	2.4	4	M3x0.5	5.5	12	±5°	0.5
HK-M4-070	26	9.5	3	17	11.8	6	3	4	M4x0.7	7	12	±5°	0.5
HK-M5-080	34.5	13.5	3.5	22.8	13.8	8	4	6	M5x0.8	8	14	±5°	0.5
HK-M6-100	34.5	13.5	3.5	22.8	13.8	8	4	6	M6x1.0	10	14	±5°	0.5

M8 及以上規格



型號 \ 符號	MA	MB	MC	MD	ME	MF	MG	MH	MI	MJ	MK
HK-M8-125	51	20	6	17	24	10.5	6	8	M8x1.25	M8x1.25	13
HK-M10-125	58	22	7	21	26	11	6	10	M10x1.25	M10x1.25	12
HK-M12-125	58	22	8	21	28	11.5	7	12	M12x1.25	M12x1.25	12
HK-M14-150	70	22.5	8.5	28	34.5	16	8	15	M14x1.5	M14x1.5	12
HK-M16-150	90	27	10	41	44.5	19	8	17	M16x1.5	M16x1.5	7
HK-M18-150	92	27	10	41	44.5	21	11	18	M18x1.5	M18x1.5	7
HK-M20-150	102	29	13	46	53	22	10	22	M20x1.5	M20x1.5	10